

# SEQUEL ENCORE®

by Bedrosians® Tile & Stone

**WARNING!** Slabs are not hazardous as shipped and used by the end customer. Similar to natural stone products, fabrication and processing of engineered quartz slabs such as Sequel Encore® by Bedrosians® (cutting, sawing, grinding, breaking, crushing, drilling, sanding, or sculpting) will generate dust that contains crystalline silica (quartz). Unprotected and uncontrolled exposure to such dust is dangerous to health and can cause several illnesses such as silicosis, lung cancer, fibrosis of the lungs, tuberculosis, kidney diseases, abrasions of the cornea, and irritation of the skin and eyes.

Preexisting physical conditions or disorders may aggravate this adverse effects of exposure to silica dust. Wherever this product is fabricated and/or processed, a silica control program shall be in place in accordance with all the applicable laws, regulations, orders, and directives. The permissible exposure limits to silica dust shall also be adhered to.

For further information, please review the requirements of the International Labor Organization ([www.ilo.org/safework](http://www.ilo.org/safework)), the Occupational Health and Safety Administration ([www.osha.gov](http://www.osha.gov)), and the European Network for Silica ([www.nepsi.eu](http://www.nepsi.eu)).

**FIRST AID:** If irritation of the eyes or skin is experienced, flush the area immediately with plenty of water. If breathing difficulties are experienced, move outdoors into fresh air. In the event of physical discomfort, consult with a physician.

For further information, please contact the local distributor of Sequel Encore® by Bedrosians®.

⚠ **WARNING:** This product can expose you to chemicals including crystalline silica (*airborne particles of respirable size*) in dust created during fabrication/installation only if the product is dry cut/ground or pulverized, which are known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# WARNING! ADVERTENCIA!

**ADVERTENCIA!** Las losas y productos no son un peligro en la forma en que son transportados y en cómo son utilizados por el cliente final. Al igual que como ocurre con los productos de piedra naturales, tales como el granito, la fabricación y el procesamiento de superficies de cuarzo como Sequel Encore® by Bedrosians® (cortado, aserrado, esmerilado, quiebre, triturado, perforado, lijado o esculpido) genera polvo que contiene sílice cristalina (cuarzo). La exposición sin protección y sin control a dicho polvo es peligroso para la salud y puede causar enfermedades graves tales como silicosis, cáncer de pulmón, fibrosis de pulmón, tuberculosis, enfermedades renales, abrasiones de la córnea e irritación y ocular.

Desórdenes físicos preexistentes pueden agravar los efectos adversos de la exposición al polvo de sílice. Siempre que este producto sea fabricado y/o procesado, deberá haber un programa de control de sílice de acuerdo a las leyes, reglamentos, órdenes y directivas aplicables. Los límites de exposición al sílice permisibles deberán también ser respetados.

Para información relevante usted puede ver los requerimientos de la Organización Internacional del Trabajo ([www.ilo.org/safework](http://www.ilo.org/safework)). La Administración de Salud y Seguridad Ocupacional ([www.osha.gov](http://www.osha.gov)). Y la Red Europea de Sílice ([www.nepsi.eu](http://www.nepsi.eu)).

**PRIMEROS AUXILIOS:** Si se presenta irritación en los ojos o la piel, enjuagar el área inmediatamente con abundante agua. Si se presentan dificultades respiratorias, salir al aire libre. En cualquier caso de incomodidad consultar con un médico. **PARA MAYOR INFORMACION USTED PUEDE CONSULTAR AL DISTRIBUIDOR LOCAL DE ESTE PRODUCTO.**

⚠ **ADVERTENCIA:** Este producto puede exponerlo a sustancias químicas, como la sílice cristalina (partículas suspendidas en el aire de tamaño respirable) en el polvo creado durante la fabricación/installación solo si el producto se corta seco/molido seco o pulverizado, y estar reconocido por el Estado de California a causar cáncer. Para obtener más información, vaya a [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).